


COIL FORMER


General data 10-pins EE16/8/5 coil former

PARAMETER	SPECIFICATION	
Coil former material phenolformaldehyde (PF), glass-reinforced, flame retardant in accordan "UL 94V-0"; UL file number E59481		
Pin material	aterial copper-tin alloy (CuSn), tin (Sn) plated	
Maximum operating temperature	180°C, "IEC 60085", class H	
Resistance to soldering heat	"IEC 60068-2-20", Part 2, Test Tb, method 1B, 350 °C, 3.5 s	
Soldeerability	"IEC 60068-2-20", Part 2, Test Ta, method 1	









Winding data and area product for 10-pins EE16/8/5 coil former

NUMBER OF SECTIONS	WINDING AREA (mm²)	MINIMUM WINDING WIDTH (mm)	AVERAGE LENGTH OF TURN (mm)	AREA PRODUCT Ae x Aw (mm ⁴)	TYPE NUMBER
1	24	8.20	35	460	EI-1601-1S-10P

 $\begin{tabular}{lll} Tolerances unless otherwise specified: \\ 0<L\leq 4\pm 0.10 & 4<L\leq 16\pm 0.20 \\ 16<L\leq 45\pm 0.30 & 45\leq L\pm 0.40 \\ Pin Dim: \pm 0.05 & Thickness: \pm 0.20 & Pin Pitch: \pm 0.20 \\ \end{tabular}$

Dimensi (mm	Dimensions:	REMARK		
	(11111)	Mould No.:	Bobbin material: T378J	
		Code No.: FAY01146	Available for Fuan core: EE16/8/5	
_				



Fuan Electronics

TEL :0086-514-87693589 EML :sales@fuantronics.net WEB:www.fuantronics.net

Make: P.Xiao	Material Number: A43161000035
Checked: Beson. zhan	Document/Rev: 00
Approved: Anson. zhan	Date of Recognition: Dec./04/2019